



Vero Air Washbowl # 2352600000 / 2352600041 / 2352600060 / 2352600070

| < 600 mm > |



| Washbowl | Dimension | Weight | Order number |
|--|---------------|-----------|--------------|
| Square, Tap hole platform: Yes, Ground, Back side glazed: Yes, 600 mm, Internal dimensions: 550x315 mm | | | |
| Colors | | | |
| 00 White Alpin | | | |
| Variant | | | |
| ● White High Gloss, Rectangular, Number of washing areas: 1 Middle, Number of faucet holes per wash area: 1 Middle, Overflow: Yes | 600x470 mm | 17.000 kg | 2352600000 |
| ● White High Gloss, Rectangular, Number of washing areas: 1 Middle, Number of faucet holes per wash area: 1 Middle, Overflow: No | 600x470 mm | 17.000 kg | 2352600041 |
| ⊗ White High Gloss, Rectangular, Number of washing areas: 1 Middle, Overflow: Yes | 600x470 mm | 17.000 kg | 2352600060 |
| ⊗ White High Gloss, Rectangular, Number of washing areas: 1 Middle, Overflow: No | 600x470 mm | 17.000 kg | 2352600070 |
| Sanitary ceramics with the special WonderGliss surface finish will remain clean and attractive-looking for a long time to come. When ordering WonderGliss please add a "1" as eleventh digit to the model number. | | | |
| Accessory | | | |
| Design siphon Material: Brass, Outlet drain: horizontal, Suitable for Washbasin | 76 x 483 mm | 1.5 kg | 005036 |
| Suitable products | | | |
| Console vanity unit wall-mounted Number of drawers: 1, Incl. console: Yes, Tap hole drillings possible, Handle Silver, Soft self-closing automatic with damping, 800 x 550 mm | 800 x 550 mm | | KT6694 |
| Console vanity unit wall-mounted Number of drawers: 1, Incl. console: Yes, Tap hole drillings possible, Handle Silver, Soft self-closing automatic with damping, 1000 x 550 mm | 1000 x 550 mm | | KT6695 |
| Console vanity unit wall-mounted Number of drawers: 1, Incl. console: Yes, Tap hole drillings possible, Handle Silver, Soft self-closing automatic with damping, 1200 x 550 mm | 1200 x 550 mm | | KT6696 |

Vero Air Washbowl # 2352600000 / 2352600041 / 2352600060 / 2352600070

|< 600 mm >|

| | | |
|--|---------------|--------------|
| Console vanity unit wall-mounted Number of drawers: 2, Incl. console: Yes, Tap hole drillings possible, Handle Silver, Soft self-closing automatic with damping, 1400 x 550 mm | 1400 x 550 mm | KT6697 B/L/R |
| Console vanity unit wall-mounted Number of drawers: 2, Incl. console: Yes, Tap hole drillings possible, Handle Silver, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, 800 x 550 mm | 800 x 550 mm | KT6654 |
| Console vanity unit wall-mounted Number of drawers: 2, Incl. console: Yes, Tap hole drillings possible, Handle Silver, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, 1000 x 550 mm | 1000 x 550 mm | KT6655 |
| Console vanity unit wall-mounted Number of drawers: 2, Incl. console: Yes, Tap hole drillings possible, Handle Silver, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, 1200 x 550 mm | 1200 x 550 mm | KT6656 |
| Console vanity unit wall-mounted Number of drawers: 4, Incl. console: Yes, Tap hole drillings possible, Handle Silver, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, 1400 x 550 mm | 1400 x 550 mm | KT6657 B/L/R |
| Console vanity unit wall-mounted Number of drawers: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 600 x 548 mm | 600 x 548 mm | DS5310 |
| Console vanity unit wall-mounted Number of drawers: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 700 x 548 mm | 700 x 548 mm | DS5311 |
| Console vanity unit wall-mounted Number of drawers: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 800 x 548 mm | 800 x 548 mm | DS5312 |
| Console vanity unit wall-mounted Number of drawers: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 900 x 548 mm | 900 x 548 mm | DS5313 |
| Console vanity unit wall-mounted Number of drawers: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 1000 x 548 mm | 1000 x 548 mm | DS5314 |
| Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 600 x 548 mm | 600 x 548 mm | DS5315 |
| Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 700 x 548 mm | 700 x 548 mm | DS5316 |
| Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 800 x 548 mm | 800 x 548 mm | DS5317 |
| Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 900 x 548 mm | 900 x 548 mm | DS5318 |
| Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 1000 x 548 mm | 1000 x 548 mm | DS5319 |

Vero Air Washbowl # 2352600000 / 2352600041 / 2352600060 / 2352600070

|< 600 mm >|

| | | |
|--|---------------|--------|
| Console vanity unit wall-mounted Number of drawers: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 620 x 547 mm | 620 x 547 mm | LC5810 |
| Console vanity unit wall-mounted Number of drawers: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 720 x 547 mm | 720 x 547 mm | LC5811 |
| Console vanity unit wall-mounted Number of drawers: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 820 x 547 mm | 820 x 547 mm | LC5812 |
| Console vanity unit wall-mounted Number of drawers: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 920 x 547 mm | 920 x 547 mm | LC5813 |
| Console vanity unit wall-mounted Number of drawers: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 1020 x 547 mm | 1020 x 547 mm | LC5814 |
| Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 620 x 547 mm | 620 x 547 mm | LC5815 |
| Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 720 x 547 mm | 720 x 547 mm | LC5816 |
| Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 820 x 547 mm | 820 x 547 mm | LC5817 |
| Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 920 x 547 mm | 920 x 547 mm | LC5818 |
| Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 1020 x 547 mm | 1020 x 547 mm | LC5819 |
| Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 800 x 548 mm | 800 x 548 mm | XS4910 |
| Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 1000 x 548 mm | 1000 x 548 mm | XS4911 |
| Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 1200 x 548 mm | 1200 x 548 mm | XS4912 |

Vero Air Washbowl # 2352600000 / 2352600041 / 2352600060 / 2352600070

| < 600 mm > |

| | | |
|--|---------------|------------|
| Console vanity unit floorstanding Number of drawers: 2, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Incl. support frame, Integrated height adjustment, 800 x 548 mm | 800 x 548 mm | XS4920 |
| Console vanity unit floorstanding Number of drawers: 2, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Incl. support frame, Integrated height adjustment, 1000 x 548 mm | 1000 x 548 mm | XS4921 |
| Console vanity unit floorstanding Number of drawers: 2, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Incl. support frame, Integrated height adjustment, 1200 x 548 mm | 1200 x 548 mm | XS4922 |
| Console vanity unit wall-mounted Number of drawers: 4, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 1600 x 548 mm | 1600 x 548 mm | XS4914 L/R |
| Console vanity unit floorstanding Number of drawers: 4, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Incl. support frame, Integrated height adjustment, 1600 x 548 mm | 1600 x 548 mm | XS4924 L/R |
| Console vanity unit wall-mounted Number of drawers: 4, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 1600 x 548 mm | 1600 x 548 mm | XS4917 B |
| Console vanity unit floorstanding Number of drawers: 4, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Incl. support frame, Integrated height adjustment, 1600 x 548 mm | 1600 x 548 mm | XS4927 B |
| Console Number of cut-outs: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm | 800 x 550 mm | DS102C |
| Console Number of cut-outs: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm | 800 x 550 mm | DS103C |
| Console Number of cut-outs: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm | 800 x 550 mm | DS106C |
| Console Number of cut-outs: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm | 800 x 550 mm | DS107C |
| Console Number of cut-outs: 1, Number of washing areas: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm | 800 x 550 mm | LC102C |
| Console Number of cut-outs: 2, Number of washing areas: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm | 800 x 550 mm | LC103C |
| Console Number of cut-outs: 1, Number of washing areas: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm | 800 x 550 mm | LC106C |

Vero Air Washbowl # 2352600000 / 2352600041 / 2352600060
/ 2352600070

|< 600 mm >|

| | | |
|---|--------------|-----------|
| Console Number of cut-outs: 2, Number of washing areas: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm | 800 x 550 mm | LC107C |
| Recommended faucets | | |
| Single lever basin mixer S Ceramic cartridge, Height: 155 mm, Projection: 91 mm, Spray mode: Normal spray, Aerator adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, Handle version: lever handle, 121 x 41 mm | 121 x 41 mm | C11010001 |
| Single lever basin mixer M Ceramic cartridge, Height: 175 mm, Projection: 113 mm, Spray mode: Normal spray, Aerator adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, Handle version: lever handle, 143 x 46 mm | 143 x 46 mm | C11020001 |
| Single lever basin mixer M Chrome, Ceramic cartridge, Height: 170 mm, Projection: 139 mm, Spray mode: Normal spray, Aerator adjustable, Temperature limit adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, Handle version: lever handle, 175 x 41 mm | 175 x 41 mm | B11020001 |
| Single lever basin mixer M Chrome, Ceramic cartridge, Height: 165 mm, Projection: 138,5 mm, Spray mode: Normal spray, Aerator adjustable, Temperature limit adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, Handle version: lever handle, 175 x 41 mm | 175 x 41 mm | B21020001 |
| Single lever basin mixer L Ceramic cartridge, Height: 262 mm, Projection: 136 mm, Spray mode: Normal spray, Aerator adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, Handle version: lever handle, 165 x 41 mm | 165 x 41 mm | C11030001 |
| Single lever basin mixer XL Ceramic cartridge, Height: 322 mm, Projection: 166 mm, Spray mode: Normal spray, Aerator adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, Handle version: lever handle, 197 x 41 mm | 197 x 41 mm | C11040001 |
| Single lever basin mixer M Chrome, Ceramic cartridge, Height: 170 mm, Projection: 139 mm, Water connection: Flexible connecting hoses, 3/8", Spray mode: Normal spray, Aerator adjustable, Temperature limit adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, Handle version: lever handle, 175 x 41 mm | 175 x 41 mm | B11020002 |
| Single lever basin mixer S Ceramic cartridge, Height: 155 mm, Projection: 91 mm, Water connection: Flexible connecting hoses, 3/8", Spray mode: Normal spray, Aerator adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, Handle version: lever handle, 121 x 40 mm | 121 x 40 mm | C11010002 |
| Single lever basin mixer M Ceramic cartridge, Height: 175 mm, Projection: 113 mm, Water connection: Flexible connecting hoses, 3/8", Spray mode: Normal spray, Aerator adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, Handle version: lever handle, 143 x 46 mm | 143 x 46 mm | C11020002 |
| Single lever basin mixer L Ceramic cartridge, Height: 262 mm, Projection: 136 mm, Water connection: Flexible connecting hoses, 3/8", Spray mode: Normal spray, Aerator adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, Handle version: lever handle, 165 x 41 mm | 165 x 41 mm | C11030002 |

Vero Air Washbowl # 2352600000 / 2352600041 / 2352600060
/ 2352600070

|< 600 mm >|

| | | |
|--|-------------|-----------|
| <p>Single lever basin mixer XL Ceramic cartridge, Height: 322 mm, Projection: 166 mm, Water connection: Flexible connecting hoses, 3/8", Spray mode: Normal spray, Aerator adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, Handle version: lever handle, 196 x 40 mm</p> | 196 x 40 mm | C11040002 |
| <p>Single lever basin mixer M Chrome, Ceramic cartridge, Height: 165 mm, Projection: 138,5 mm, Water connection: Flexible connecting hoses, 3/8", Spray mode: Normal spray, Aerator adjustable, Temperature limit adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, Handle version: lever handle, 175 x 42 mm</p> | 175 x 42 mm | B21020002 |

All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in mm and are non-binding. Exact measurements, in particular for customised installation scenarios, can only be taken from the finished piece.