

Pulsify S Puro

Showerpipe 260 1jet EcoSmart with bath thermostat Ecostat Fine and hand shower 3jet

Finish: **Chrome** Article Number: **24232000**



Description

product features

- consists of: overhead shower, hand shower, bath thermostat, shower bar, slider, shower hose
- overhead shower Pulsify 260 1jet
- shower head size overhead shower: 260 mm
- spray type overhead shower: PowderRain
- spray disc surface: graphite
- Fast Drain empties the overhead shower from an angle of 10°
- removable shower head
- function from: 3,4 l/min
- flow rate PowderRain spray at 3 bar: 7,9 l/min
- spray type hand shower: PowderRain, IntenseRain, Massage spray
- flow rate of hand shower at 3 bar: 6,5 l/min
- maximum flow rate for Showerpipe at 3 bar: 18,9 l/min
- minimum flow pressure: 1,4 bar
- max. operating pressure: 10 bar
- ball-joint: overhead shower angle adjustable
- height-adjustable slider with locking push-button slider
- slider rotatable on the pipe for left or right operation
- shower arm length overhead shower: 460 mm
- swivel shower arm: swivelling shower arm
- thermostat Ecostat Fine
- SafetyStop at 40°C
- adjustable hot water limitation
- outlets controlled via turning handle
- Outlets may not be operated simultaneously
- suitable for continuous flow water heaters
- mounting type: exposed installation
- connection dimension: DN15
- connection thread: G ½
- centre distance: 150 ± 12 mm
- pipe can be shortened in height
- intrinsically safe against backflow
- shower bar diameter: 22 mm
- 3 functions

Technology




Pulsify S Puro
Showerpipe 260 1jet EcoSmart with bath thermostat Ecostat Fine and hand shower 3jet
 Finish: **Chrome** Article Number: **24232000**




Product image



Scale drawing



Flowchart





Installation examples

