

Rainfinity

Overhead shower 250 3jet EcoSmart with wall connector

Finish: **Brushed Bronze** Article Number: **26233140**



Description

product features

- consists of: overhead shower, wall outlet
- shower head size: 250 mm
- spray type: PowderRain, Intense PowderRain, RainStream
- flow rate PowderRain spray at 3 bar: 9 l/min
- flow rate Intense PowderRain at 3 bar: 9 l/min
- flow rate RainStream spray at 3 bar: 9 l/min
- function from: 8,9 l/min
- maximum flow rate at 3 bar: 9 l/min
- minimum flow pressure: 1,9 bar
- Select button on thermostat
- projection: 273 mm
- middle spray disc: 151 mm
- frame: metal
- material spray disc: aluminium
- spray disc surface: graphite
- overhead shower removable for cleaning
- shower head vertically inclinable by 10-30°
- the 3 spray zones must be controlled via 3 valves or a diverter valve with 3 outlets
- installation: wall-mounted - based on iBox
- connection dimension: DN15
- not suitable for continuous flow water heaters

Technology




Design awards



Product image



Scale drawing




Rainfinity

Overhead shower 250 3jet EcoSmart with wall connector

Finish: **Brushed Bronze** Article Number: **26233140**



Flowchart



The consumption was measured in combination with the appropriate fittings (thermostat/mixer/in-wall valve) to reflect actual application in practice.

Rainfinity

Overhead shower 250 3jet EcoSmart with wall connector

Finish: **Brushed Bronze** Article Number: **26233140**



Installation examples

